



## Omo Colour Professional Powder

Revision: 2023-08-03

Version: 01.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade name:** Omo Colour Professional Powder  
*Omo is a registered trade mark and is used under licence of Unilever*

UFI: JSVJ-M1GP-3002-8EGT

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Product use:** Laundry detergent.  
**Uses advised against:** Uses other than those identified are not recommended.

#### SWED - Sector-specific worker exposure description :

AISE\_SWED\_PW\_8a\_2  
PC35-Washing and cleaning products  
AISE\_SWED\_PW\_1\_1  
AISE\_SWED\_PW\_4\_1  
AISE\_SWED\_PW\_19\_1  
PC35-Washing and cleaning products

#### 1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

#### Contact details

Diversey Deutschland GmbH & Co. oHG  
Mallaustr. 50-56, D-68219 Mannheim, Tel: 0621 - 8757-0  
Auskunftgebender Bereich: Abteilung Verbraucherschutz, Produktsicherheit und Regulatory, Tel: 0621 - 87 57-0  
E-mail: vpr.de@diversey.com

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)  
24h Notfallauskunft: Für medizinische Auskünfte:  
Giftnotruf Berlin Tel: 030 - 306 867 00  
Für technische Auskünfte bei Produktavarien:  
24h Notfallauskunft der BASF Werksfeuerwehr,  
Tel: 0621- 60 4 33 33

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Eye Irrit. 2 (H319)

#### 2.2 Label elements



**Signal word:** Warning.

#### Hazard statements:

H319 - Causes serious eye irritation.

#### Precautionary statements:

P101 - If medical advice is needed, have product container or label at hand.  
P102 - Keep out of reach of children.

#### 2.3 Other hazards

## Omo Colour Professional Powder

No other hazards known.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sodium carbonate	207-838-8	497-19-8	01-2119485498-19	Eye Irrit. 2 (H319)		10-20
sodium alkylbenzenesulphonate	270-115-0	68411-30-3	01-2119489428-22	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)		3-10
disodium disilicate	215-687-4	1344-09-8	01-2119448725-31	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Dam. 1 (H318)		3-10
alkyl alcohol ethoxylate	500-195-7	68131-39-5	-	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)		0.1-1

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

<b>Inhalation:</b>	Get medical attention or advice if you feel unwell.
<b>Skin contact:</b>	Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
<b>Eye contact:</b>	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention.
<b>Ingestion:</b>	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
<b>Self-protection of first aider:</b>	Consider personal protective equipment as indicated in subsection 8.2.

#### 4.2 Most important symptoms and effects, both acute and delayed

<b>Inhalation:</b>	No known effects or symptoms in normal use.
<b>Skin contact:</b>	No known effects or symptoms in normal use.
<b>Eye contact:</b>	Causes severe irritation.
<b>Ingestion:</b>	No known effects or symptoms in normal use.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

#### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

#### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear eye/face protection.

#### 6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water.

#### 6.3 Methods and material for containment and cleaning up

Collect mechanically. Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

## Omo Colour Professional Powder

**6.4 Reference to other sections**

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

**Measures required to protect the environment:**

For environmental exposure controls see subsection 8.2.

**Advices on general occupational hygiene:**

Follow general hygiene considerations recognised as common good workplace practices. Keep away from food, drink and animal feeding stuffs. Keep out of reach of children. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep out of reach of children.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

**7.3 Specific end use(s)**

No specific advice for end use available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Biological limit values, if available:

**Recommended monitoring procedures, if available:**

Additional exposure limits under the conditions of use, if available:

**DNEL/DMEL and PNEC values****Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium carbonate	-	-	-	-
sodium alkylbenzenesulphonate	-	-	-	0.425
disodium disilicate	-	-	-	0.8
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium carbonate	-	-	No data available	-
sodium alkylbenzenesulphonate	-	-	-	119
disodium disilicate	No data available	-	No data available	1.59
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium carbonate	No data available	-	No data available	-
sodium alkylbenzenesulphonate	-	-	-	42.5
disodium disilicate	No data available	-	No data available	0.8
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available

DNEL/DMEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects

## Omo Colour Professional Powder

sodium carbonate	-	-	10	-
sodium alkylbenzenesulphonate	-	-	-	6
disodium disilicate	-	-	-	5.61
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available

DNEL/DMEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium carbonate	10	-	-	-
sodium alkylbenzenesulphonate	-	-	-	1.5
disodium disilicate	-	-	-	1.38
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available

## Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sodium carbonate	-	-	-	-
sodium alkylbenzenesulphonate	0.268	0.0268	0.0167	3.43
disodium disilicate	7.5	1	7.5	348
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m <sup>3</sup> )
sodium carbonate	-	-	-	-
sodium alkylbenzenesulphonate	8.1	6.8	35	-
disodium disilicate	-	-	-	-
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available

## 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.

If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

**Appropriate engineering controls:** No special requirements under normal use conditions.  
**Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel.

## REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
PC35-Washing and cleaning products	PC35-Washing and cleaning products	C	-	-	ERC8a
Manual transfer and dilution	AISE_SWED_PW_8a_2	PW	PROC 8a	60	ERC8a

## Personal protective equipment

## Eye / face protection:

No special requirements under normal use conditions.

## Hand protection:

No special requirements under normal use conditions.

## Body protection:

No special requirements under normal use conditions.

## Respiratory protection:

If exposure to dust cannot be avoided use: full-face mask (EN 136) with filter type HEPA (N100, Class H14) (EN 1822) or self-contained or compressed air breathing apparatus (EN 137 / EN 138). Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen.

**Environmental exposure controls:** No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

**Recommended maximum concentration (% w/w):** 1.4

**Appropriate engineering controls:** No special requirements under normal use conditions.

**Appropriate organisational controls:** No special requirements under normal use conditions.

## REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration	ERC

## Omo Colour Professional Powder

				(min)	
PC35-Washing and cleaning products	PC35-Washing and cleaning products	C	-	-	ERC8a
Automatic application in a dedicated closed system	AISE_SWED_PW_1_1	PW	PROC 1	480	ERC8a
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a

**Personal protective equipment**

**Eye / face protection:** No special requirements under normal use conditions.  
**Hand protection:** No special requirements under normal use conditions.  
**Body protection:** No special requirements under normal use conditions.  
**Respiratory protection:** No special requirements under normal use conditions.

**Environmental exposure controls:** No special requirements under normal use conditions.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Information in this section refers to the product, unless it is specifically stated that substance data is listed

**Method / remark**

**Physical state:** Solid

**Appearance:** Powder

**Colour:** Speckles , White

**Odour:** Product specific

**Odour threshold:** Not applicable

**Melting point/freezing point (°C):** Not determined

Not relevant to classification of this product

**Initial boiling point and boiling range (°C):** Not determined

Not applicable to solids or gases

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sodium carbonate	1600	Method not given	1013
sodium alkylbenzenesulphonate	No data available		
disodium disilicate	> 100	Method not given	
alkyl alcohol ethoxylate	No data available		

**Method / remark**

**Flammability (solid, gas):** Not determined

**Flammability (liquid):** Not applicable.

**Flash point (°C):** Not applicable.

**Sustained combustion:** Not applicable.

( UN Manual of Tests and Criteria, section 32, L.2 )

**Lower and upper explosion limit/flammability limit (%):** Not determined

Substance data, flammability or explosive limits, if available:

**Method / remark**

**Autoignition temperature:** Not determined

**Decomposition temperature:** Not applicable.

**pH:** Not applicable

**Dilution pH:** ≈ 11 (1.4 %)

ISO 4316

**Kinematic viscosity:** Not applicable to solids or gases

**Solubility in / Miscibility with water:** Soluble

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium carbonate	210-215	Method not given	20
sodium alkylbenzenesulphonate	> 250		
disodium disilicate	Soluble	Method not given	20
alkyl alcohol ethoxylate	100	Method not given	

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

**Method / remark**

**Vapour pressure:** Not determined

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
---------------	------------	--------	------------------

## Omo Colour Professional Powder

sodium carbonate	Negligible		
sodium alkylbenzenesulphonate	No data available		
disodium disilicate	No data available		
alkyl alcohol ethoxylate	No data available		

**Relative density:**  $\approx$  0.63 (20 °C)

**Relative vapour density:** No data available.

**Particle characteristics:** Not determined.

**Method / remark**

OECD 109 (EU A.3)

Not applicable to solids

Not relevant to classification of this product.

**9.2 Other information****9.2.1 Information with regard to physical hazard classes**

**Explosive properties:** Not explosive.

**Oxidising properties:** Not oxidising.

**Corrosion to metals:** Not determined

Not applicable to solids or gases

**9.2.2 Other safety characteristics**

No other relevant information available.

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

**10.2 Chemical stability**

Stable under normal storage and use conditions.

**10.3 Possibility of hazardous reactions**

No hazardous reactions known under normal storage and use conditions.

**10.4 Conditions to avoid**

None known under normal storage and use conditions.

**10.5 Incompatible materials**

None known under normal use conditions.

**10.6 Hazardous decomposition products**

None known under normal storage and use conditions.

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Mixture data: .

**Relevant calculated ATE(s):**

ATE - Oral (mg/kg): >2000

**Skin irritation and corrosivity**

**Result:** Not corrosive or irritant

**Species:** Not applicable

**Method:** Weight of evidence

**Eye irritation and corrosivity**

**Result:** Eye irritant 2

**Species:** Not applicable.

**Method:** Weight of evidence

Substance data, where relevant and available, are listed below:.

**Acute toxicity**

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium carbonate	LD <sub>50</sub>	2800	Rat	OECD 401 (EU B.1)		Not established
sodium alkylbenzenesulphonate	LD <sub>50</sub>	1080	Rat	OECD 401 (EU B.1)		1080
disodium disilicate	LD <sub>50</sub>	3400	Rat	Method not given		Not established
alkyl alcohol ethoxylate	LD <sub>50</sub>	> 300 - 2000		Method not given		Not established

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium carbonate	LD <sub>50</sub>	> 2000	Rabbit	Method not given		Not established

## Omo Colour Professional Powder

sodium alkylbenzenesulphonate	LD <sub>50</sub>	> 2000	Rat	OECD 402 (EU B.3)		Not established
disodium disilicate	LD <sub>50</sub>	> 5000	Rat	Method not given		Not established
alkyl alcohol ethoxylate	LD <sub>50</sub>	> 2000		Method not given		Not established

## Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	LC <sub>50</sub>	> 2.3 (dust)		Weight of evidence	2
sodium alkylbenzenesulphonate		No data available			
disodium disilicate	LC <sub>50</sub>	> 2.06 No mortality observed	Rat	Non guideline test	
alkyl alcohol ethoxylate		No data available			

## Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
sodium carbonate	Not established	Not established	Not established	Not established
sodium alkylbenzenesulphonate	Not established	Not established	Not established	Not established
disodium disilicate	Not established	Not established	Not established	Not established
alkyl alcohol ethoxylate	Not established	Not established	Not established	Not established

## Irritation and corrosivity

## Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	Not irritant	Rabbit	OECD 404 (EU B.4)	
sodium alkylbenzenesulphonate	Irritant	Rabbit	OECD 404 (EU B.4)	
disodium disilicate	Irritant		Method not given	
alkyl alcohol ethoxylate	No data available			

## Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	Irritant	Rabbit	OECD 405 (EU B.5)	
sodium alkylbenzenesulphonate	Corrosive	Rabbit	OECD 405 (EU B.5)	
disodium disilicate	Severe damage		Method not given	
alkyl alcohol ethoxylate	No data available			

## Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	No data available			
sodium alkylbenzenesulphonate	Not irritating to respiratory tract			
disodium disilicate	Irritating to respiratory tract		Method not given	
alkyl alcohol ethoxylate	No data available			

## Sensitisation

## Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium carbonate	Not sensitising		Method not given	
sodium alkylbenzenesulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
disodium disilicate	Not sensitising		Method not given	
alkyl alcohol ethoxylate	No data available			

## Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	No data available			
sodium alkylbenzenesulphonate	No data available			
disodium disilicate	No data available			
alkyl alcohol ethoxylate	No data available			

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

## Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)

## Omo Colour Professional Powder

sodium carbonate	No data available		No data available	
sodium alkylbenzenesulphonate	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 476 OECD 473	No data available	
disodium disilicate	No evidence for mutagenicity, negative test results		No data available	
alkyl alcohol ethoxylate	No evidence for mutagenicity, negative test results		No data available	

## Carcinogenicity

Ingredient(s)	Effect
sodium carbonate	No evidence for carcinogenicity, weight-of-evidence
sodium alkylbenzenesulphonate	No data available
disodium disilicate	No evidence for carcinogenicity, negative test results
alkyl alcohol ethoxylate	No evidence for carcinogenicity, negative test results

## Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium carbonate			No data available				
sodium alkylbenzenesulphonate	NOAEL	Teratogenic effects	300	Rat	Non guideline test		No known significant effects or critical hazards
disodium disilicate			No data available				No evidence for reproductive toxicity
alkyl alcohol ethoxylate			No data available				Not toxic for reproduction

## Repeated dose toxicity

## Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium carbonate		No data available				
sodium alkylbenzenesulphonate		No data available				
disodium disilicate	NOAEL	> 159	Rat	Method not given	180	No effects observed
alkyl alcohol ethoxylate		No data available				

## Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium carbonate		No data available				
sodium alkylbenzenesulphonate		No data available				
disodium disilicate		No data available				
alkyl alcohol ethoxylate		No data available				

## Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium carbonate		No data available				
sodium alkylbenzenesulphonate		No data available				
disodium disilicate		No data available				
alkyl alcohol ethoxylate		No data available				

## Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium carbonate			No data available					
sodium alkylbenzenesulphonate			No data available					
disodium disilicate			No data available					



## Omo Colour Professional Powder

alkyl alcohol ethoxylate			No data available				
--------------------------	--	--	-------------------	--	--	--	--

## STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium carbonate	No data available
sodium alkylbenzenesulphonate	No data available
disodium disilicate	No data available
alkyl alcohol ethoxylate	No data available

## STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium carbonate	No data available
sodium alkylbenzenesulphonate	No data available
disodium disilicate	Not applicable
alkyl alcohol ethoxylate	No data available

**Aspiration hazard**

Substances with an aspiration hazard (H304), if any, are listed in section 3.

**Potential adverse health effects and symptoms**

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

**11.2 Information on other hazards****11.2.1 Endocrine disrupting properties**

Endocrine disrupting properties - Human data, if available:

**11.2.2 Other information**

No other relevant information available.

**SECTION 12: Ecological information****12.1 Toxicity**

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

**Aquatic short-term toxicity**

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	LC <sub>50</sub>	300	<i>Lepomis macrochirus</i>	Method not given	96
sodium alkylbenzenesulphonate	LC <sub>50</sub>	1.67	<i>Fish</i>	EPA-OPPTS 850.1075	96
disodium disilicate	LC <sub>50</sub>	1108	<i>Brachydanio rerio</i>	Method not given	96
alkyl alcohol ethoxylate	LC <sub>50</sub>	1 - 10		Method not given	

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	EC <sub>50</sub>	200-227	<i>Ceriodaphnia dubia</i>	Method not given	96
sodium alkylbenzenesulphonate	LC <sub>50</sub>	2.9	<i>Daphnia</i>	OECD 202 (EU C.2)	48
disodium disilicate	EC <sub>50</sub>	1700	<i>Daphnia magna Straus</i>	Method not given	48
alkyl alcohol ethoxylate	EC <sub>50</sub>	1 - 10		Method not given	

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	EC <sub>50</sub>	> 800	<i>Selenastrum capricornutum</i>		72
sodium alkylbenzenesulphonate	E <sub>b</sub> C <sub>50</sub>	47.3	<i>Not specified</i>	Non guideline test	72
disodium disilicate	EC <sub>50</sub>	207	<i>Desmodesmus subspicatus</i>	Method not given	72
alkyl alcohol ethoxylate	LC <sub>50</sub>	1 - 10		Method not given	

Aquatic short-term toxicity - marine species

## Omo Colour Professional Powder

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium carbonate		No data available			
sodium alkylbenzenesulphonate		No data available			
disodium disilicate		No data available			
alkyl alcohol ethoxylate		No data available			

## Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium carbonate		No data available			
sodium alkylbenzenesulphonate	EC <sub>50</sub>	550	<i>Bacteria</i>	OECD 209	3 hour(s)
disodium disilicate		No data available			
alkyl alcohol ethoxylate	EC <sub>50</sub>	> 100		Method not given	

## Aquatic long-term toxicity

## Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium carbonate		No data available				
sodium alkylbenzenesulphonate	NOEC	0.23	<i>Oncorhynchus mykiss</i>	Method not given	72 day(s)	
disodium disilicate	NOEC	348	<i>Brachydanio rerio</i>	Method not given	96 hour(s)	
alkyl alcohol ethoxylate		No data available				

## Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium carbonate		No data available				
sodium alkylbenzenesulphonate	NOEC	1.41	<i>Daphnia magna</i>	OECD 211		
disodium disilicate		No data available				
alkyl alcohol ethoxylate		No data available				

## Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				
sodium alkylbenzenesulphonate		No data available				
disodium disilicate		No data available				
alkyl alcohol ethoxylate		No data available				

## Terrestrial toxicity

## Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

## Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

## Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
---------------	----------	-------	---------	--------	----------	------------------

## Omo Colour Professional Powder

					time (days)	
sodium carbonate		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

**12.2 Persistence and degradability****Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium carbonate	No data available			

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium carbonate	No data available		Rapidly hydrolysible	

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
sodium carbonate		No data available			

**Biodegradation**

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT <sub>50</sub>	Method	Evaluation
sodium carbonate					Not applicable (inorganic substance)
sodium alkylbenzenesulphonate	Activated sludge, aerobe	CO <sub>2</sub> production	85 % in 28 day(s)	OECD 301B	Readily biodegradable
disodium disilicate					Not applicable (inorganic substance)
alkyl alcohol ethoxylate					Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT <sub>50</sub>	Method	Evaluation
sodium carbonate					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT <sub>50</sub>	Method	Evaluation
sodium carbonate					No data available

**12.3 Bioaccumulative potential**

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sodium carbonate	No data available		No bioaccumulation expected	
sodium alkylbenzenesulphonate	3.32	Method not given	Low potential for bioaccumulation	
disodium disilicate	No data available		Low potential for bioaccumulation	
alkyl alcohol ethoxylate	No data available			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium carbonate	No data available			No bioaccumulation expected	
sodium alkylbenzenesulphonate	2-1000		Method not given	High potential for bioaccumulation	
disodium disilicate	No data available				

## Omo Colour Professional Powder

alkyl alcohol ethoxylate	No data available				
--------------------------	-------------------	--	--	--	--

**12.4 Mobility in soil**

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sodium carbonate	No data available				Potential for mobility in soil, soluble in water
sodium alkylbenzenesulphonate	No data available				
disodium disilicate	No data available				
alkyl alcohol ethoxylate	No data available				Potential for mobility in soil, soluble in water

**12.5 Results of PBT and vPvB assessment**

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

**12.6 Endocrine disrupting properties**

Endocrine disrupting properties - Environmental effects, if available:

**12.7 Other adverse effects**

No other adverse effects known.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

**European Waste Catalogue:**

20 01 29\* - detergents containing dangerous substances.

**Empty packaging****Recommendation:**

Dispose of observing national or local regulations.

**SECTION 14: Transport information****Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)****14.1 UN number or ID number:** Non-dangerous goods**14.2 UN proper shipping name:** Non-dangerous goods**14.3 Transport hazard class(es):** Non-dangerous goods**14.4 Packing group:** Non-dangerous goods**14.5 Environmental hazards:** Non-dangerous goods**14.6 Special precautions for user:** Non-dangerous goods**14.7 Maritime transport in bulk according to IMO instruments:** Non-dangerous goods**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations:**

- Regulation (EC) No. 1907/2006 - REACH
- Regulation (EC) No 1272/2008 - CLP
- Regulation (EC) No. 648/2004 - Detergents regulation
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

**Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII):** Not applicable.**Ingredients according to EC Detergents Regulation 648/2004**

anionic surfactants

5 - 15 %

non-ionic surfactants, polycarboxylates, soap

&lt; 5 %

perfumes, Benzyl Salicylate, Hexyl Cinnamal, enzymes

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.

**Omo Colour Professional Powder**

648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

**Seveso - Classification:** Not classified

**Klassifizierung nach Betriebssicherheitsverordnung (BetrSichV):** -

**Lagerklasse gemäß TRGS 510:** Lagerklasse 13: Nichtbrennbare Feststoffe

**WGK classification:** Wassergefährdungsklasse 2 (Selbsteinstufung nach Anlage 1 § 5.2 AwSV): deutlich wassergefährdend.

**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out on the mixture

**SECTION 16: Other information**

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*

**SDS code:** MS1006036

**Version:** 01.0

**Revision:** 2023-08-03

**Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

**Abbreviations and acronyms:**

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- H302 - Harmful if swallowed.
- H315 - Causes skin irritation.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H335 - May cause respiratory irritation.
- H400 - Very toxic to aquatic life.
- H411 - Toxic to aquatic life with long lasting effects.
- H412 - Harmful to aquatic life with long lasting effects.

**End of Safety Data Sheet**